

Model #4071/5071(H) - Picture No Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	NC,SC,S	16	0.23	0.53	59	1.71	0.30	3.33
366 (2)	Double		Y	None	NC,SC,S	15	0.21	0.47	59	1.71	0.30	3.33
366 (2)	Double	Arg/Kry		1	N,NC,SC,S	20	0.22	0.53	63	1.48	0.26	3.85
366 (2)	Double	Arg/Kry	Y	1	N,NC,SC,S	19	0.20	0.47	63	1.48	0.26	3.85
366 (2)	Double	Argon		1	N,NC,SC,S	20	0.22	0.53	63	1.48	0.26	3.85
366 (2)	Double	Argon	Y	1	N,NC,SC,S	19	0.20	0.47	63	1.48	0.26	3.85
Bronze/LOF (3)	Double			1	None	25	0.48	0.47	56	1.93	0.34	2.94
Bronze/LOF (3)	Double		Y	None	None	23	0.43	0.42	56	1.93	0.34	2.94
Bronze-LOF (3)	Double	Arg/Kry		1 2	None	29	0.48	0.47	60	1.76	0.31	3.23
Bronze-LOF (3)	Double	Arg/Kry	Y	1	None	26	0.43	0.42	60	1.76	0.31	3.23
Bronze-LOF (3)	Double	Argon		1 2	None	29	0.48	0.47	60	1.76	0.31	3.23
Bronze-LOF (3)	Double	Argon	Y	1	None	26	0.43	0.42	60	1.76	0.31	3.23
Grey-LOF (3)	Double			None	None	24	0.45	0.43	56	1.93	0.34	2.94
Grey-LOF (3)	Double		Y	None	None	21	0.41	0.38	56	1.93	0.34	2.94
Grey-LOF (3)	Double	Arg/Kry		1	None	27	0.45	0.43	60	1.76	0.31	3.23
Grey-LOF (3)	Double	Arg/Kry	Y	1	None	25	0.41	0.38	60	1.76	0.31	3.23
Grey-LOF (3)	Double	Argon		1	None	27	0.45	0.43	60	1.76	0.31	3.23
Grey-LOF (3)	Double	Argon	Y	1	None	25	0.41	0.38	60	1.76	0.31	3.23
LOF (3)	Double			1 2	None	32	0.60	0.63	56	1.93	0.34	2.94
LOF (3)	Double		Y	1 2	None	29	0.54	0.56	56	1.93	0.34	2.94
LOF (3)	Double	Arg/Kry		1 2 3	None	36	0.60	0.63	60	1.76	0.31	3.23
LOF (3)	Double	Arg/Kry	Y	1 2	None	33	0.54	0.56	60	1.76	0.31	3.23
LOF (3)	Double	Argon		1 2 3	None	36	0.60	0.63	60	1.76	0.31	3.23
LOF (3)	Double	Argon	Y	1 2	None	33	0.54	0.56	60	1.76	0.31	3.23
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	40	0.54	0.59	47	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2 3	N	37	0.49	0.53	47	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Argon		1 2 3	N	40	0.54	0.59	47	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Argon	Y	1 2 3	N	37	0.49	0.53	47	1.42	0.25	4.00
366 (2)	Triple	Arg/Kry		1 2 3	N,NC,SC,S	27	0.21	0.48	72	1.14	0.20	5.00
366 (2)	Triple	Arg/Kry	Y	1 2 3	N,NC,SC,S	26	0.19	0.43	72	1.14	0.20	5.00
366 (2)	Triple	Argon		1 2 3	N,NC,SC,S	27	0.21	0.48	72	1.14	0.20	5.00
366 (2)	Triple	Argon	Y	1 2 3	N,NC,SC,S	26	0.19	0.43	72	1.14	0.20	5.00
366 (2)	Triple	Krypton		1 2 3	N,NC,SC,S	28	0.21	0.48	74	1.08	0.19	5.26
366 (2)	Triple	Krypton	Y	1 2 3	N,NC,SC,S	27	0.19	0.43	74	1.08	0.19	5.26
Bronze	Triple	Arg/Kry		1 2	N	30	0.46	0.46	64	1.65	0.29	3.45
Bronze	Triple	Arg/Kry	Y	1	N	28	0.41	0.41	64	1.65	0.29	3.45
Bronze	Triple	Argon		1 2	N	30	0.46	0.46	64	1.65	0.29	3.45
Bronze	Triple	Argon	Y	1	N	28	0.41	0.41	64	1.65	0.29	3.45
Bronze	Triple	Krypton		1 2	N	32	0.46	0.46	65	1.59	0.28	3.57
Bronze	Triple	Krypton	Y	1 2	N	29	0.41	0.41	65	1.59	0.28	3.57
Bronze-LOF (5)	Triple	Arg/Kry		1 2 3	N	37	0.42	0.43	70	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Arg/Kry	Y	1 2 3	N,NC	35	0.38	0.39	70	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Argon		1 2 3	N	37	0.42	0.43	70	1.25	0.22	4.55

Model #4071/5071(H) - Picture No Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Bronze-LOF (5)	Triple	Argon	Y	1 2 3	N,NC	35	0.38	0.39	70	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Krypton		1 2 3	N	38	0.42	0.43	72	1.19	0.21	4.76
Bronze-LOF (5)	Triple	Krypton	Y	1 2 3	N,NC	36	0.38	0.39	72	1.19	0.21	4.76
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	41	0.41	0.41	76	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	39	0.37	0.36	76	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2 3	N	41	0.41	0.41	76	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	39	0.37	0.36	76	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	41	0.41	0.41	76	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	39	0.37	0.36	76	1.02	0.18	5.56
Grey	Triple	Arg/Kry		1 2	N	29	0.44	0.42	64	1.65	0.29	3.45
Grey	Triple	Arg/Kry	Y	1	N,NC	26	0.39	0.37	64	1.65	0.29	3.45
Grey	Triple	Argon		1 2	N	29	0.44	0.42	64	1.65	0.29	3.45
Grey	Triple	Argon	Y	1	N,NC	26	0.39	0.37	64	1.65	0.29	3.45
Grey	Triple	Krypton		1 2	N	31	0.44	0.42	65	1.59	0.28	3.57
Grey	Triple	Krypton	Y	1	N,NC	28	0.39	0.37	65	1.59	0.28	3.57
Grey-LOF (5)	Triple	Arg/Kry		1 2 3	N,NC	36	0.40	0.39	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	33	0.36	0.35	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Argon		1 2 3	N,NC	36	0.40	0.39	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Argon	Y	1 2	N,NC	33	0.36	0.35	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Krypton		1 2 3	N,NC	37	0.40	0.39	72	1.19	0.21	4.76
Grey-LOF (5)	Triple	Krypton	Y	1 2 3	N,NC	35	0.36	0.35	72	1.19	0.21	4.76
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	40	0.38	0.37	76	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	38	0.35	0.33	76	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	40	0.38	0.37	76	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	38	0.35	0.33	76	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	40	0.39	0.37	76	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	38	0.35	0.33	76	1.02	0.18	5.56
LOF (5)	Triple	Arg/Kry		1 2 3	N	43	0.53	0.57	70	1.25	0.22	4.55
LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	40	0.48	0.51	70	1.25	0.22	4.55
LOF (5)	Triple	Argon		1 2 3	N	43	0.53	0.57	70	1.25	0.22	4.55
LOF (5)	Triple	Argon	Y	1 2 3	N	40	0.48	0.51	70	1.25	0.22	4.55
LOF (5)	Triple	Krypton		1 2 3	N	45	0.53	0.57	72	1.19	0.21	4.76
LOF (5)	Triple	Krypton	Y	1 2 3	N	42	0.48	0.51	72	1.19	0.21	4.76
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	47	0.51	0.54	76	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N	44	0.46	0.48	76	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	47	0.51	0.54	76	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N	44	0.46	0.48	76	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	48	0.52	0.54	76	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N	44	0.46	0.48	76	1.02	0.18	5.56

(SHGC) Solar Heat Gain Coefficient: The higher the SHGC, the more solar heat the window allows.

(VT) Visible Transmittance: The higher the VT, the more daylight is allowed in.

(CR) Condensation Resistance: The higher the CR, the less likely condensations is to occur.

Model #4072/5072(H) - Picture With Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	NC,SC,S	15	0.21	0.49	59	1.71	0.30	3.33
366 (2)	Double		Y	None	NC,SC,S	14	0.19	0.44	59	1.71	0.30	3.33
366 (2)	Double	Arg/Kry		1	N,NC,SC,S	20	0.21	0.49	63	1.48	0.26	3.85
366 (2)	Double	Arg/Kry	Y	1	N,NC,SC,S	19	0.19	0.44	63	1.48	0.26	3.85
366 (2)	Double	Argon		1	N,NC,SC,S	20	0.21	0.49	63	1.48	0.26	3.85
366 (2)	Double	Argon	Y	1	N,NC,SC,S	19	0.19	0.44	63	1.48	0.26	3.85
Bronze/LOF (3)	Double			None	None	24	0.44	0.44	56	1.88	0.33	3.03
Bronze/LOF (3)	Double		Y	None	None	22	0.40	0.39	56	1.88	0.33	3.03
Bronze-LOF (3)	Double	Arg/Kry		1	N	28	0.44	0.44	60	1.71	0.30	3.33
Bronze-LOF (3)	Double	Arg/Kry	Y	1	NC	26	0.40	0.39	60	1.71	0.30	3.33
Bronze-LOF (3)	Double	Argon		1	N	28	0.44	0.44	60	1.71	0.30	3.33
Bronze-LOF (3)	Double	Argon	Y	1	NC	26	0.40	0.39	60	1.71	0.30	3.33
Grey-LOF (3)	Double			None	None	23	0.42	0.4	56	1.88	0.33	3.03
Grey-LOF (3)	Double		Y	None	None	21	0.38	0.36	56	1.88	0.33	3.03
Grey-LOF (3)	Double	Arg/Kry		1	N	27	0.42	0.4	60	1.71	0.30	3.33
Grey-LOF (3)	Double	Arg/Kry	Y	1	N,NC	25	0.38	0.36	60	1.71	0.30	3.33
Grey-LOF (3)	Double	Argon		1	N	27	0.42	0.4	60	1.71	0.30	3.33
Grey-LOF (3)	Double	Argon	Y	1	N,NC	25	0.38	0.36	60	1.71	0.30	3.33
LOF (3)	Double			1 2	None	31	0.55	0.58	56	1.88	0.33	3.03
LOF (3)	Double		Y	1	None	28	0.50	0.52	56	1.88	0.33	3.03
LOF (3)	Double	Arg/Kry		1 2 3	N	35	0.56	0.58	60	1.71	0.30	3.33
LOF (3)	Double	Arg/Kry	Y	1 2	N	32	0.50	0.52	60	1.71	0.30	3.33
LOF (3)	Double	Argon		1 2 3	N	35	0.56	0.58	60	1.71	0.30	3.33
LOF (3)	Double	Argon	Y	1 2	N	32	0.50	0.52	60	1.71	0.30	3.33
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	38	0.50	0.55	47	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2 3	N	35	0.45	0.49	47	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Argon		1 2 3	N	38	0.50	0.55	47	1.42	0.25	4.00
LOF-LOF (2&3)	Double	Argon	Y	1 2 3	N	35	0.45	0.49	47	1.42	0.25	4.00
366 (2)	Triple	Arg/Kry		1 2 3	N,NC,SC,S	25	0.19	0.45	72	1.19	0.21	4.76
366 (2)	Triple	Arg/Kry	Y	1 2 3	N,NC,SC,S	24	0.17	0.4	72	1.19	0.21	4.76
366 (2)	Triple	Argon		1 2 3	N,NC,SC,S	25	0.19	0.45	72	1.19	0.21	4.76
366 (2)	Triple	Argon	Y	1 2 3	N,NC,SC,S	24	0.18	0.4	72	1.19	0.21	4.76
366 (2)	Triple	Krypton		1 2 3	N,NC,SC,S	26	0.19	0.45	74	1.14	0.20	5.00
366 (2)	Triple	Krypton	Y	1 2 3	N,NC,SC,S	25	0.17	0.4	74	1.14	0.20	5.00
Bronze	Triple	Arg/Kry		1 2	N	30	0.43	0.43	64	1.59	0.28	3.57
Bronze	Triple	Arg/Kry	Y	1	N,NC	27	0.38	0.38	64	1.59	0.28	3.57
Bronze	Triple	Argon		1 2	N	29	0.43	0.43	63	1.65	0.29	3.45
Bronze	Triple	Argon	Y	1	N,NC	26	0.38	0.38	63	1.65	0.29	3.45
Bronze	Triple	Krypton		1 2	N	29	0.42	0.43	65	1.59	0.28	3.57
Bronze	Triple	Krypton	Y	1	N,NC	27	0.38	0.38	65	1.59	0.28	3.57
Bronze-LOF (5)	Triple	Arg/Kry		1 2 3	N,NC	35	0.39	0.4	70	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	33	0.35	0.36	70	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Argon		1 2 3	N,NC	35	0.39	0.4	70	1.25	0.22	4.55

Model #4072/5072(H) - Picture With Sash Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Bronze-LOF (5)	Triple	Argon	Y	1 2	N,NC	33	0.35	0.36	70	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Krypton		1 2 3	N,NC	35	0.39	0.4	72	1.25	0.22	4.55
Bronze-LOF (5)	Triple	Krypton	Y	1 2	N,NC	33	0.35	0.36	72	1.25	0.22	4.55
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	38	0.38	0.38	75	1.08	0.19	5.26
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	36	0.34	0.34	75	1.08	0.19	5.26
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	38	0.38	0.38	75	1.08	0.19	5.26
Bronze-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	36	0.34	0.34	75	1.08	0.19	5.26
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	40	0.38	0.38	75	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	37	0.34	0.34	75	1.02	0.18	5.56
Grey	Triple	Arg/Kry		1 2	N	29	0.41	0.39	64	1.59	0.28	3.57
Grey	Triple	Arg/Kry	Y	1	N,NC	26	0.36	0.34	64	1.59	0.28	3.57
Grey	Triple	Argon		1	N	28	0.41	0.39	63	1.65	0.29	3.45
Grey	Triple	Argon	Y	1	NC	25	0.36	0.34	63	1.65	0.29	3.45
Grey	Triple	Krypton		1	N,NC	28	0.40	0.39	65	1.59	0.28	3.57
Grey	Triple	Krypton	Y	1	N,NC	26	0.36	0.34	65	1.59	0.28	3.57
Grey-LOF (5)	Triple	Arg/Kry		1 2 3	N,NC	34	0.37	0.36	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	32	0.33	0.32	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Argon		1 2 3	N,NC	34	0.37	0.36	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Argon	Y	1 2	N,NC	32	0.33	0.32	70	1.25	0.22	4.55
Grey-LOF (5)	Triple	Krypton		1 2 3	N,NC	34	0.37	0.36	72	1.25	0.22	4.55
Grey-LOF (5)	Triple	Krypton	Y	1 2	N,NC	32	0.33	0.32	72	1.25	0.22	4.55
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	37	0.36	0.34	75	1.08	0.19	5.26
Grey-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	35	0.32	0.3	75	1.08	0.19	5.26
Grey-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	37	0.36	0.34	75	1.08	0.19	5.26
Grey-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	35	0.32	0.3	75	1.08	0.19	5.26
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	38	0.36	0.34	75	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	36	0.32	0.3	75	1.02	0.18	5.56
LOF (5)	Triple	Arg/Kry		1 2 3	N	41	0.49	0.53	70	1.25	0.22	4.55
LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	38	0.44	0.47	70	1.25	0.22	4.55
LOF (5)	Triple	Argon		1 2 3	N	41	0.49	0.53	70	1.25	0.22	4.55
LOF (5)	Triple	Argon	Y	1 2 3	N	38	0.44	0.47	70	1.25	0.22	4.55
LOF (5)	Triple	Krypton		1 2 3	N	41	0.49	0.53	72	1.25	0.22	4.55
LOF (5)	Triple	Krypton	Y	1 2 3	N	38	0.44	0.47	72	1.25	0.22	4.55
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	44	0.48	0.5	75	1.08	0.19	5.26
LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N	41	0.43	0.44	75	1.08	0.19	5.26
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	44	0.48	0.5	75	1.08	0.19	5.26
LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N	41	0.43	0.44	75	1.08	0.19	5.26
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	45	0.48	0.5	75	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N	42	0.43	0.44	75	1.02	0.18	5.56

(SHGC) Solar Heat Gain Coefficient: The higher the SHGC, the more solar heat the window allows.

(VT) Visible Transmittance: The higher the VT, the more daylight is allowed in.

(CR) Condensation Resistance: The higher the CR, the less likely condensations is to occur.

Model #4377/5377(H) - Picture Singles Frame Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
366 (2)	Double			None	NC,SC,S	16	0.21	0.49	59	1.65	0.29	3.45
366 (2)	Double		Y	None	NC,SC,S	15	0.19	0.43	59	1.65	0.29	3.45
366 (2)	Double	Arg/Kry		1	N,NC,SC,S	20	0.21	0.49	63	1.48	0.26	3.85
366 (2)	Double	Arg/Kry	Y	1	N,NC,SC,S	19	0.19	0.43	63	1.48	0.26	3.85
366 (2)	Double	Argon		1	N,NC,SC,S	20	0.21	0.49	63	1.48	0.26	3.85
366 (2)	Double	Argon	Y	1	N,NC,SC,S	19	0.19	0.43	63	1.48	0.26	3.85
Bronze/LOF (3)	Double			1	None	26	0.44	0.44	56	1.82	0.32	3.13
Bronze/LOF (3)	Double		Y	None	NC	23	0.40	0.39	56	1.82	0.32	3.13
Bronze-LOF (3)	Double	Arg/Kry		1 2	N	29	0.44	0.44	60	1.65	0.29	3.45
Bronze-LOF (3)	Double	Arg/Kry	Y	1	N,NC	27	0.40	0.39	60	1.65	0.29	3.45
Bronze-LOF (3)	Double	Argon		1 2	N	29	0.44	0.44	60	1.65	0.29	3.45
Bronze-LOF (3)	Double	Argon	Y	1	N,NC	27	0.40	0.39	60	1.65	0.29	3.45
Grey-LOF (3)	Double			None	None	24	0.42	0.4	56	1.82	0.32	3.13
Grey-LOF (3)	Double		Y	None	NC	22	0.38	0.35	56	1.82	0.32	3.13
Grey-LOF (3)	Double	Arg/Kry		1	N	28	0.42	0.4	60	1.65	0.29	3.45
Grey-LOF (3)	Double	Arg/Kry	Y	1	N,NC	26	0.38	0.35	60	1.65	0.29	3.45
Grey-LOF (3)	Double	Argon		1	N	28	0.42	0.4	60	1.65	0.29	3.45
Grey-LOF (3)	Double	Argon	Y	1	N,NC	26	0.38	0.35	60	1.65	0.29	3.45
LOF (3)	Double			1 2	None	32	0.55	0.58	56	1.82	0.32	3.13
LOF (3)	Double		Y	1	None	28	0.49	0.52	56	1.82	0.32	3.13
LOF (3)	Double	Arg/Kry		1 2 3	N	36	0.55	0.58	60	1.65	0.29	3.45
LOF (3)	Double	Arg/Kry	Y	1 2	N	33	0.50	0.52	60	1.65	0.29	3.45
LOF (3)	Double	Argon		1 2 3	N	36	0.55	0.58	60	1.65	0.29	3.45
LOF (3)	Double	Argon	Y	1 2	N	33	0.50	0.52	60	1.65	0.29	3.45
LOF-LOF (2&3)	Double	Arg/Kry		1 2 3	N	39	0.50	0.54	47	1.36	0.24	4.17
LOF-LOF (2&3)	Double	Arg/Kry	Y	1 2 3	N	36	0.45	0.48	47	1.36	0.24	4.17
LOF-LOF (2&3)	Double	Argon		1 2 3	N	39	0.50	0.54	46	1.36	0.24	4.17
LOF-LOF (2&3)	Double	Argon	Y	1 2 3	N	36	0.45	0.48	46	1.36	0.24	4.17
366 (2)	Triple	Arg/Kry		1 2 3	N,NC,SC,S	25	0.19	0.44	70	1.19	0.21	4.76
366 (2)	Triple	Arg/Kry	Y	1 2	N,NC,SC,S	23	0.18	0.39	70	1.25	0.22	4.55
366 (2)	Triple	Argon		1 2	N,NC,SC,S	24	0.20	0.44	69	1.25	0.22	4.55
366 (2)	Triple	Argon	Y	1 2	N,NC,SC,S	22	0.18	0.39	69	1.31	0.23	4.35
366 (2)	Triple	Krypton		1 2 3	N,NC,SC,S	27	0.19	0.44	73	1.08	0.19	5.26
366 (2)	Triple	Krypton	Y	1 2 3	N,NC,SC,S	25	0.17	0.39	73	1.14	0.20	5.00
Bronze	Triple	Argon		1	N	28	0.42	0.42	61	1.65	0.29	3.45
Bronze	Triple	Krypton		1 2	N	31	0.42	0.42	64	1.54	0.27	3.70
Bronze-LOF (5)	Triple	Arg/Kry		1 2 3	N,NC	34	0.39	0.4	68	1.31	0.23	4.35
Bronze-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	32	0.35	0.35	68	1.31	0.23	4.35
Bronze-LOF (5)	Triple	Argon		1 2	N,NC	33	0.39	0.4	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Argon	Y	1 2	N,NC	30	0.35	0.35	67	1.36	0.24	4.17
Bronze-LOF (5)	Triple	Krypton		1 2 3	N,NC	36	0.39	0.4	71	1.19	0.21	4.76
Bronze-LOF (5)	Triple	Krypton	Y	1 2 3	N,NC	34	0.35	0.35	71	1.19	0.21	4.76
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	37	0.38	0.37	72	1.14	0.20	5.00

Model #4377/5377(H) - Picture Singles Frame Energy Ratings

Glass Options	Glazing	Gas	Grille	Energy Star Zone(s)		ER	SHGC	VT	CR	U-Value (Metric)	U-Value Imp (Imperial)	R-Value (Imperial)
				Canada	US							
Bronze-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	35	0.34	0.33	72	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	37	0.38	0.37	72	1.14	0.20	5.00
Bronze-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	34	0.34	0.33	72	1.19	0.21	4.76
Bronze-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	40	0.38	0.37	76	1.02	0.18	5.56
Bronze-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	37	0.34	0.33	76	1.02	0.18	5.56
Grey	Triple	Argon		1	N,NC	27	0.40	0.38	61	1.65	0.29	3.45
Grey	Triple	Krypton		1 2	N,NC	30	0.40	0.38	64	1.54	0.27	3.70
Grey-LOF (5)	Triple	Arg/Kry		1 2	N,NC	33	0.37	0.36	68	1.31	0.23	4.35
Grey-LOF (5)	Triple	Arg/Kry	Y	1 2	N,NC	30	0.33	0.32	68	1.31	0.23	4.35
Grey-LOF (5)	Triple	Argon		1 2	N,NC	32	0.37	0.36	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Argon	Y	1 2	N,NC	30	0.34	0.32	67	1.36	0.24	4.17
Grey-LOF (5)	Triple	Krypton		1 2 3	N,NC	35	0.37	0.36	71	1.19	0.21	4.76
Grey-LOF (5)	Triple	Krypton	Y	1 2 3	N,NC	33	0.33	0.32	71	1.19	0.21	4.76
Grey-LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N,NC	36	0.36	0.34	72	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N,NC	34	0.32	0.3	72	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Argon		1 2 3	N,NC	36	0.36	0.34	72	1.14	0.20	5.00
Grey-LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N,NC	32	0.32	0.3	72	1.19	0.21	4.76
Grey-LOF-LOF (3&5)	Triple	Krypton		1 2 3	N,NC	38	0.36	0.34	76	1.02	0.18	5.56
Grey-LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N,NC	36	0.32	0.3	76	1.02	0.18	5.56
LOF (5)	Triple	Arg/Kry		1 2 3	N	40	0.49	0.53	68	1.31	0.23	4.35
LOF (5)	Triple	Arg/Kry	Y	1 2 3	N	37	0.44	0.47	68	1.31	0.23	4.35
LOF (5)	Triple	Argon		1 2 3	N	39	0.49	0.53	67	1.36	0.24	4.17
LOF (5)	Triple	Argon	Y	1 2 3	N	36	0.44	0.47	67	1.36	0.24	4.17
LOF (5)	Triple	Krypton		1 2 3	N	42	0.49	0.53	71	1.19	0.21	4.76
LOF (5)	Triple	Krypton	Y	1 2 3	N	39	0.44	0.47	71	1.19	0.21	4.76
LOF-LOF (3&5)	Triple	Arg/Kry		1 2 3	N	42	0.47	0.5	72	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Arg/Kry	Y	1 2 3	N	40	0.43	0.44	72	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Argon		1 2 3	N	42	0.47	0.5	72	1.14	0.20	5.00
LOF-LOF (3&5)	Triple	Argon	Y	1 2 3	N	38	0.42	0.44	72	1.19	0.21	4.76
LOF-LOF (3&5)	Triple	Krypton		1 2 3	N	45	0.48	0.5	76	1.02	0.18	5.56
LOF-LOF (3&5)	Triple	Krypton	Y	1 2 3	N	42	0.43	0.44	76	1.02	0.18	5.56

(SHGC) Solar Heat Gain Coefficient: The higher the SHGC, the more solar heat the window allows.

(VT) Visible Transmittance: The higher the VT, the more daylight is allowed in.

(CR) Condensation Resistance: The higher the CR, the less likely condensations is to occur.